§	4.	1	1	8
---	----	---	---	---

	Rating	
Requiring transfusion of platelets or red cells at least once every three months, or; infections recurring at least once		7710 Adenitis, Rate un which
every three months	60	7714 Sickle ce With re skin, cause
recurring at least once per year but less than once every three months	30 10	blood infard even
NOTE: The 100 percent rating for bone marrow tre shall be assigned as of the date of hospital admiss shall continue with a mandatory VA examinat months following hospital discharge. Any change uation based upon that or any subsequent exar shall be subject to the provisions of §3.105(e) chapter.	insplant ion and ion six in eval- nination	With pa with light I Followin ses v Asympt sion, ment
7703 Leukemia: With active disease or during a treatment phase	100	NOTE: Sickle ce tributable path Cases of sym the Director, C sideration und
NOTE: The 100 percent rating shall continue beyond to sation of any surgical, radiation, antineoplastic	chemo-	7715 Non-Hode With ac phase
therapy or other therapeutic procedures. Six mont discontinuance of such treatment, the appropriate or rating shall be determined by mandatory VA exam Any change in evaluation based upon that or any quent examination shall be subject to the provis §3.105(e) of this chapter. If there has been no recurate on residuals.	lisability nination. subse- sions of	NOTE: The 100 p sation of any therapy or oth discontinuance rating shall be Any change in
7704 Polycythemia vera:		quent examin §3.105(e) of t
During periods of treatment with myelosuppressants and for three months		rence or meta
following cessation of myelosuppressant	100	7716 Aplastic a Reguirii
therapy Requiring phlebotomy	100 40	quirin
Stable, with or without continuous medica-		cells
tion	10	infect six w
NOTE: Rate complications such as hypertension, gout or thrombotic disease separately.	, stroke	Requiri
7705 Thrombocytopenia, primary, idiopathic or immune:		cells or; i every
Platelet count of less than 20,000, with active bleeding, requiring treatment with	400	Requiri cells
medication and transfusions Platelet count between 20,000 and 70,000,	100	once recur
not requiring treatment, without bleeding	70	than
Stable platelet count between 70,000 and	30	Requiri
100,000, without bleedingStable platelet count of 100,000 or more,	30	NOTE: The 100 shall be assig
without bleeding	0	shall continue
7706 Splenectomy		months follow uation based
NOTE: Rate complications such as systemic infection encapsulated bacteria separately.	ns with	shall be subj chapter.
7707 Spleen, injury of, healed. Rate for any residuals.		7717 AL amylo
A A THA HOUSE NICESCO.		

100 NOTE: The 100 percent rating shall continue beyond the cessation of any surgical, radiation, antineoplastic chemotherapy or other therapeutic procedures. Six months after discontinuance of such treatment, the appropriate disability rating shall be determined by mandatory VA examination. Any change in evaluation based upon that or any subsequent examination shall be subject to the provisions of § 3.105(e) of this chapter. If there has been no local recurrence or metastasis, rate on residuals.

With active disease or during a treatment

7709

Hodakin's disease:

		Rating
7710	Adenitis, tuberculous, active or inactive. Rate under §§ 4.88c or 4.89 of this part, whichever is appropriate.	
7714	Sickle cell anemia: With repeated painful crises, occurring in skin, joints, bones or any major organs caused by hemolysis and sickling of red blood cells, with anemia, thrombosis and	
	infarction, with symptoms precluding even light manual labor	100
	light manual laborFollowing repeated hemolytic sickling cri-	60
	ses with continuing impairment of health Asymptomatic, established case in remis- sion, but with identifiable organ impair-	30
	ment	10

ell trait alone, without a history of directly atthological findings, is not a ratable disability. nptomatic sickle cell trait will be forwarded to Compensation and Pension Service, for conder § 3.321(b)(1) of this chapter.

dgkin's lymphoma: active disease or during a treatment

percent rating shall continue beyond the cesby surgical, radiation, antineoplastic chemo-ther therapeutic procedures. Six months after ce of such treatment, the appropriate disability be dtermined by mandatory VA examination. in evaluation based upon that or any subsenation shall be subject to the provisions of this chapter. If there has been no local recurastasis, rate on residuals.

anemia:

ing bone marrow transplant, or; reng transfusion of platelets or red at least once every six weeks, or; ctions recurring at least once every veeks . 100 ing transfusion of platelets or red at least once every three months, infections recurring at least once 60 v three months ing transfusion of platelets or red at least once per year but less than e every three months, or; infections rring at least once per year but less once every three months 30 ing continuous medication for control 10

percent rating for bone marrow transplant gned as of the date of hospital admission and gried as of the date of hospital administration six wing hospital discharge. Any change in evalue on that or any subsequent examination pject to the provisions of §3.105(e) of this

7717 AL amyloidosis (primary amyloidosis) 100

[60 FR 49227, Sept. 22, 1995, as amended at 77 FR 6467, Feb. 8, 2012]

THE SKIN

§ 4.118 Schedule of ratings—skin.

A veteran whose scars were rated by VA under a prior version of diagnostic codes 7800, 7801, 7802, 7803, 7804, or 7805,

§4.118

as in effect before October 23, 2008, may request review under diagnostic codes 7800, 7801, 7802, 7804, and 7805, irrespective of whether his or her disability has worsened since the last review. VA will review that veteran's disability rating to determine whether the veteran may be entitled to a higher disability rating under diagnostic codes 7800, 7801, 7802, 7804, and 7805. A request for review pursuant to this rulemaking will be treated as a claim for an increased rating for purposes of determining the effective date of an increased rating awarded as a result of such review; however, in no case will the award be effective before October 23, 2008

	Rat- ing
7800 Burn scar(s) of the head, face, or neck; scar(s) of the head, face, or neck due to other causes; or other disfigurement of the head, face, or neck:	
With visible or palpable tissue loss and either gross distortion or asymmetry of three or more features or paired sets of features (nose, chin, forehead, eyes (including eyelids), ears (auricles), cheeks, lips), or; with six or more characteristics of	80
disfigurement With visible or palpable tissue loss and either gross distortion or asymmetry of two features or paired sets of features (nose, chin, forehead, eyes (including eyelids), ears (auricles), cheeks, lips), or; with four	
or five characteristics of disfigurement With visible or palpable tissue loss and either gross distortion or asymmetry of one feature or paired set of features (nose, chin, forehead, eyes (including eyelids), ears (auricles), cheeks, lips), or; with two	50
or three characteristics of disfigurement With one characteristic of disfigurement Note (1):The 8 characteristics of disfigurement, for purposes of evaluation under § 4.118, are:	30 10
Scar 5 or more inches (13 or more cm.) in length.	
Scar at least one-quarter inch (0.6 cm.) wide at widest part.	
Surface contour of scar elevated or depressed on palpation.	
Scar adherent to underlying tissue. Skin hypo-or hyper-pigmented in an area exceeding six square inches (39 sq. cm.). Skin texture abnormal (irregular, atrophic, shiny, scaly, etc.) in an area exceeding six square inches (39 sq. cm.).	
Underlying soft tissue missing in an area exceeding six square inches (39 sq. cm.). Skin indurated and inflexible in an area ex-	

ceeding six square inches (39 sq. cm.).

Note (2): Rate tissue loss of the auricle under DC 6207 (loss of auricle) and anatomical loss of the eye under DC 6061 (anatomical loss of both eyes) or DC 6063 (anatomical loss of one eye), as appropriate. Note (3): Take into consideration unretouched color photographs evaluating under these criteria Note (4): Separately evaluate disabling effects other than disfigurement that are associated with individual scar(s) of the head, face, or neck, such as pain, insta-bility, and residuals of associated muscle or nerve injury, under the appropriate diagnostic code(s) and apply § 4.25 to combine the evaluation(s) with the evaluation assigned under this diagnostic code Note (5): The characteristic(s) of disfigurement may be caused by one scar or by multiple scars; the characteristic(s) required to assign a particular evaluation need not be caused by a single scar in order to assign that evaluation. 7801 Burn scar(s) or scar(s) due to other causes not of the head, face, or neck, that are deep and Area or areas of 144 square inches (929 sq. cm.) or greater Area or areas of at least 72 square inches (465 sq. cm.) but less than 144 square inches (929 sq. cm.) . 30 Area or areas of at least 12 square inches (77 sq. cm.) but less than 72 square inches (465 sq. cm.) .. 20 Area or areas of at least 6 square inches (39 sq. cm.) but less than 12 square inches (77 sq. cm.) .. 10 Note (1): A deep scar is one associated with underlying soft tissue damage. Note (2): If multiple qualifying scars are present, or if a single qualifying scar affects more than one extremity, or a single qualifying scar affects one or more extremities and either the anterior portion or posterior portion of the trunk, or both, or a single qualifying scar affects both the anterior portion and the posterior portion of the trunk, assign a separate evaluation for each affected extremity based on the total area of the qualifying scars that affect that extremity, assign a separate evaluation based on the total area of the qualifying scars that affect the anterior portion of the trunk, and assign a separate evaluation based on the total area of the qualifying scars that affect the posterior portion of the trunk. The midaxillary line on each side separates the anterior and posterior portions of the trunk. Combine the separate evaluations under §4.25. Qualifying scars are scars that are nonlinear, deep, and are not located on the head, face, or

not of the head, face, or neck, that are superficial and nonlinear:

Area or areas of 144 square inches (929 sq.

7802 Burn scar(s) or scar(s) due to other causes

neck.

cm.) or greater

10

	Rat-		Rat-
	ing		ing
Note (1): A superficial scar is one not asso- ciated with underlying soft tissue damage Note (2): If multiple qualifying scars are present, or if a single qualifying scar af- fects more than one extremity, or a single qualifying scar affects one or more ex-		Less than 5 percent of the entire body or less than 5 percent of exposed areas affected, and; no more than topical therapy required during the past 12-month period Or rate as disfigurement of the head, face, or neck (DC 7800) or scars (DC's 7801,	
tremities and either the anterior portion or posterior portion of the trunk, or both, or a		7802, 7803, 7804, or 7805), depending upon the predominant disability.	
single qualifying scar affects both the an- terior portion and the posterior portion of the trunk, assign a separate evaluation for		7807 American (New World) leishmaniasis (mucocutaneous, espundia):	
each affected extremity based on the total area of the qualifying scars that affect that extremity, assign a separate evaluation based on the total area of the qualifying		Rate as disfigurement of the head, face, or neck (DC 7800), scars (DC's 7801, 7802, 7803, 7804, or 7805), or dermatitis (DC 7806), depending upon the predominant disability.	
scars that affect the anterior portion of the trunk, and assign a separate evaluation based on the total area of the qualifying		Note: Evaluate non-cutaneous (visceral) leishmaniasis under DC 6301 (visceral	
scars that affect the posterior portion of the trunk. The midaxillary line on each		leishmaniasis). 7808 Old World leishmaniasis (cutaneous, Oriental sore):	
side separates the anterior and posterior portions of the trunk. Combine the sepa- rate evaluations under §4.25. Qualifying scars are scars that are nonlinear, super-		Rate as distigurement of the head, face, or neck (DC 7800), scars (DC's, 7801, 7802, 7803, 7804, or 7805), or dermatitis (DC	
ficial, and are not located on the head, face, or neck. 804 Scar(s), unstable or painful:.		7806), depending upon the predominant disability. Note: Evaluate non-cutaneous (visceral)	
Five or more scars that are unstable or painful	30	leishmaniasis under DC 6301 (visceral leishmaniasis).	
Three or four scars that are unstable or painful One or two scars that are unstable or pain-	20	7809 Discoid lupus erythematosus or subacute cutaneous lupus erythematosus: Rate as disfigurement of the head, face, or	
ful	10	neck (DC 7800), scars (DC's 7801, 7802, 7803, 7804, or 7805), or dermatitis (DC	
any reason, there is frequent loss of covering of skin over the scar. Note (2): If one or more scars are both un-		7806), depending upon the predominant disability. Do not combine with ratings under DC 6350.	
stable and painful, add 10 percent to the evaluation that is based on the total number of unstable or painful scars		7811 Tuberculosis luposa (lupus vulgaris), active or inactive:	
Note (3): Scars evaluated under diagnostic codes 7800, 7801, 7802, or 7805 may		Rate under §§ 4.88c or 4.89, whichever is appropriate. 7813 Dermatophytosis (ringworm: of body, tinea	
also receive an evaluation under this di- agnostic code, when applicable 805 Scars, other (including linear scars) and other		corporis; of head, tinea capitis; of feet, tinea pedis; of beard area, tinea barbae; of nails, tinea	
effects of scars evaluated under diagnostic codes 7800, 7801, 7802, and 7804: Evaluate any disabling effect(s) not consid-		unguium; of inguinal area (jock itch), tinea cruris): Rate as disfigurement of the head, face, or neck (DC 7800), scars (DC's 7801, 7802,	
ered in a rating provided under diagnostic codes 7800-04 under an appropriate di-		7803, 7804, or 7805), or dermatitis (DC 7806), depending upon the predominant disability.	
agnostic code 306 Dermatitis or eczema. More than 40 percent of the entire body or		7815 Bullous disorders (including pemphigus vulgaris, pemphigus foliaceous, bullous	
more than 40 percent of exposed areas affected, or; constant or near-constant systemic therapy such as corticosteroids		pemphigoid, dermatitis herpetiformis, epidermolysis bullosa acquisita, benign chronic familial pemphigus (Hailey-Hailey), and porphyria cutanea	
or other immunosuppressive drugs required during the past 12-month period 20 to 40 percent of the entire body or 20 to	60	tarda): More than 40 percent of the entire body or more than 40 percent of exposed areas	
40 percent of exposed areas affected, or, systemic therapy such as corticosteroids or other immunosuppressive drugs re-		affected, or; constant or near-constant systemic therapy such as corticosteroids or other immunosuppressive drugs re-	
quired for a total duration of six weeks or more, but not constantly, during the past 12-month period	30	quired during the past 12-month period 20 to 40 percent of the entire body or 20 to 40 percent of exposed areas affected, or;	
At least 5 percent, but less than 20 percent, of the entire body, or at least 5 percent, but less than 20 percent, of exposed		systemic therapy such as corticosteroids or other immunosuppressive drugs re- quired for a total duration of six weeks or	
areas affected, or; intermittent systemic therapy such as corticosteroids or other immunosuppressive drugs required for a		more, but not constantly, during the past 12-month period	
total duration of less than six weeks dur- ing the past 12-month period	10		

§4.118

	Rat- ing		Rat-
At least 5 percent, but less than 20 percent, of the entire body, or at least 5 percent, but less than 20 percent, of exposed areas affected, or; intermittent systemic therapy such as corticosteroids or other immunosuppressive drugs required for a total duration of less than six weeks during the past 12-month period	10	Any extent of involvement of the skin, and; systemic therapy such as therapeutic doses of corticosteroids, immunosuppressive retinoids, PUVA (psoralen with long-wave ultraviolet-A light) or UVB (ultraviolet-B light) treatments, or electron beam therapy required for a total duration of six weeks or more, but not constantly, during the past 12-month period	30
past 12-month period	0	doses of corticosteroids, immuno- suppressive retinoids, PUVA (psoralen with long-wave ultraviolet-A light) or UVB (ultraviolet-B light) treatments, or electron beam therapy required for a total duration of less than six weeks during the past 12- month period	10
More than 40 percent of the entire body or more than 40 percent of exposed areas affected, or; constant or near-constant systemic therapy such as corticosteroids		Any extent of involvement of the skin, and; no more than topical therapy required during the past 12-month period	(
or other immunosuppressive drugs required during the past 12-month period	60	7818 Malignant skin neoplasms (other than malignant melanoma): Rate as disfigurement of the head, face, or neck (DC 7800), scars (DC's 7801, 7802, 7803, 7804, or 7805), or impairment of function.	
quired for a total outration of six weeks of more, but not constantly, during the past 12-month period	30	Note: If a skin malignancy requires therapy that is comparable to that used for systemic malignancies, i.e., systemic chemotherapy, X-ray therapy more extensive than to the skin, or surgery more extensive than wide local excision, a 100-persive than wide local excision.	
areas affected, or, intermittent systemic therapy such as corticosteroids or other immunosuppressive drugs required for a total duration of less than six weeks during the past 12-month period	10	cent evaluation will be assigned from the date of onset of treatment, and will continue, with a mandatory VA examination six months following the completion of such antineoplastic treatment, and any change in evaluation based upon that or	
Less than 5 percent of the entire body or exposed areas affected, and; no more than topical therapy required during the past 12-month period	0	any subsequent examination will be sub- ject to the provisions of §3.105(e) of this chapter. If there has been no local recur-	
Or rate as disfigurement of the head, face, or neck (DC 7800) or scars (DC's 7801, 7802, 7803, 7804, or 7805), depending		rence or metastasis, evaluation will then be made on residuals. If treatment is con- fined to the skin, the provisions for a 100-	
upon the predominant disability. 817 Exfoliative dermatitis (erythroderma): Generalized involvement of the skin, plus systemic manifestations (such as fever, weight loss, and hypoproteinemia), and; constant or near-constant systemic therapy such as therapeutic doses of corticosteroids, immunosuppressive retinoids, PUVA (psoralen with long-wave ultraviolet-A light) or UVB (ultraviolet-B light) treatments, or electron beam therapy required during the past 12-month period	100	percent evaluation do not apply. 7819 Benign skin neoplasms: Rate as disfigurement of the head, face, or neck (DC 7800), scars (DC's 7801, 7802, 7803, 7804, or 7805), or impairment of function. 7820 Infections of the skin not listed elsewhere (including bacterial, fungal, viral, treponemal and parasitic diseases): Rate as disfigurement of the head, face, or neck (DC 7800), scars (DC's 7801, 7802, 7803, 7804, or 7805), or dermatitis (DC 7806), depending upon the predominant disability.	
systemic manifestations, and; constant or near-constant systemic therapy such as therapeutic doses of corticosteroids, immunosuppressive retinoids, PUVA (psoralen with long-wave ultraviolet-A light) or UVB (ultraviolet-B light) treat-		7821 Cutaneous manifestations of collagen-vas- cular diseases not listed elsewhere (including scleroderma, calcinosis cutis, and dermato- myositis): More than 40 percent of the entire body or more than 40 percent of exposed areas	
ments, or electron beam therapy required during the past 12-month period	60	affected, or; constant or near-constant systemic therapy such as corticosteroids or other immunosuppressive drugs re- quired during the past 12-month period	6

	Rat-		Rat-
	ing		ing
20 to 40 percent of the entire body or 20 to 40 percent of exposed areas affected, or; systemic therapy such as corticosteroids or other immunosuppressive drugs required for a total duration of six weeks or more, but not constantly, during the past 12-month period	30	With localized or episodic cutaneous involvement and intermittent systemic medication, such as immunosuppressive retinoids, required for a total duration of less than six weeks during the past 12-month period	10
of the entire body, or at least 5 percent, but less than 20 percent, of exposed areas affected, or; intermittent systemic therapy such as corticosteroids or other immunosuppressive drugs required for a		7825 Urticaria: Recurrent debilitating episodes occurring at least four times during the past 12-month period despite continuous immunosuppressive therapy	60
total duration of less than six weeks dur- ing the past 12-month period	10	Recurrent debilitating episodes occurring at least four times during the past 12-month period, and; requiring intermittent systemic immunosuppressive therapy for control	30
past 12-month period	0	Recurrent episodes occurring at least four times during the past 12-month period, and; responding to treatment with antihistamines or sympathomimetics.	10
upon the predominant disability. 7822 Papulosquamous disorders not listed elsewhere (including lichen planus, large or small plaque parapsoriasis, pityriasis lichenoides et varioliformis acuta (PLEVA), lymphomatoid		7826 Vasculitis, primary cutaneous: Recurrent debilitating episodes occurring at least four times during the past 12-month period despite continuous immuno-	
papulosus, and pityriasis rubra pilaris (PRP)): More than 40 percent of the entire body or more than 40 percent of exposed areas affected, and; constant or near-constant systemic medications or intensive light		suppressive therapy	60
therapy required during the past 12-month period	60	control Recurrent episodes occurring one to three times during the past 12-month period, and; requiring intermittent systemic immunosuppressive therapy for control	30
required for a total duration of six weeks or more, but not constantly, during the past 12-month period	30	Or rate as disfigurement of the head, face, or neck (DC 7800) or scars (DC's 7801, 7802, 7803, 7804, or 7805), depending upon the predominant disability. 7827 Erythema multiforme; Toxic epidermal	
but less than 20 percent, of exposed areas affected, or; systemic therapy or intensive light therapy required for a total duration of less than six weeks during the post 132 ments according to the control of the cont	10	necrolysis: Recurrent debilitating episodes occurring at least four times during the past 12-month period despite ongoing immuno-	
past 12-month period Less than 5 percent of the entire body or exposed areas affected, and; no more than topical therapy required during the past 12-month period	0	suppressive therapy Recurrent episodes occurring at least four times during the past 12-month period, and; requiring intermittent systemic im-	60
Or rate as disfigurement of the head, face, or neck (DC 7800) or scars (DC's 7801, 7802, 7803, 7804, or 7805), depending upon the predominant disability. 7823 Vitiligo:		munosuppressive therapy	30
With exposed areas affected	10 0	period requiring intermittent systemic immunosuppressive therapy	10
cation, such as immunosuppressive retinoids, required during the past 12-month period	60	Deep acne (deep inflamed nodules and pus- filled cysts) affecting 40 percent or more of the face and neck	30
immunosuppressive retinoids, required for a total duration of six weeks or more, but		of the face and neck, or; deep acne other than on the face and neck	10
not constantly, during the past 12-month period	30	Superficial acne (comedones, papules, pustules, superficial cysts) of any extent	0

§4.119

		Det		_
		Rat- ing		R
7829	Or rate as disfigurement of the head, face, or neck (DC 7800) or scars (DC's 7801, 7802, 7803, 7804, or 7805), depending upon the predominant disability.	_	Thyroid enlargement, tachycardia (more than 100 beats per minute), eye involvement, muscular weakness, loss of weight, and sympathetic nervous system, cardiovascular, or astrointestinal symptoms	
	Deep acne (deep inflamed nodules and pus- filled cysts) affecting 40 percent or more		Emotional instability, tachycardia, fatigability, and increased pulse pressure or blood pressure	
	of the face and neck Deep acne (deep inflamed nodules and pusfilled cysts) affecting less than 40 percent	30	Tachycardia, tremor, and increased pulse pres- sure or blood pressure	
	of the face and neck, or; deep acne other than on the face and neck	10	or, or; continuous medication required for control	
	Superficial acne (comedones, papules, pustules, superficial cysts) of any extent Or rate as disfigurement of the head, face, or neck (DC 7800) or scars (DC's 7801, 7802, 7803, 7804, or 7805), depending	0	NOTE (1): If disease of the heart is the predominant finding, evaluate as hyperthyroid heart disease (DC 7008) if doing so would result in a higher evaluation than using the criteria above. NOTE (2): If ophthalmopathy is the sole finding.	
830	upon the predominant disability. Scarring alopecia:		evaluate as field vision, impairment of (DC 6080); diplopia (DC 6090); or impairment of	
	Affecting more than 40 percent of the scalp Affecting 20 to 40 percent of the scalp	20 10	central visual acuity (DC 6061–6079). 7901 Thyroid gland, toxic adenoma of	
	Affecting less than 20 percent of the scalp	0	Thyroid enlargement, tachycardia (more than 100 beats per minute), eye involvement, muscular	
831	Alopecia areata: With loss of all body hair	10	weakness, loss of weight, and sympathetic	
832	With loss of hair limited to scalp and face Hyperhidrosis:	0	nervous system, cardiovascular, or gastro- intestinal symptoms	
	Unable to handle paper or tools because of	20	Emotional instability, tachycardia, fatigability, and increased pulse pressure or blood pressure	
000	moisture, and unresponsive to therapy Able to handle paper or tools after therapy	30 0	Tachycardia, tremor, and increased pulse pres- sure or blood pressure	
000	Malignant melanoma: Rate as scars (DC's 7801, 7802, 7803, 7804, or 7805), disfigurement of the head,		Tachycardia, which may be intermittent, and trem- or, or; continuous medication required for con-	
	face, or neck (DC 7800), or impairment of function (under the appropriate body sys-		NOTE (1): If disease of the heart is the predomi-	
	tem).		nant finding, evaluate as hyperthyroid heart disease (DC 7008) if doing so would result in a	
	Note: If a skin malignancy requires therapy that is comparable to that used for sys-		higher evaluation than using the criteria above. NOTE (2): If ophthalmopathy is the sole finding,	
	temic malignancies, <i>i.e.</i> , systemic chemotherapy, X-ray therapy more extensive		evaluate as field vision, impairment of (DC 6080); diplopia (DC 6090); or impairment of	
	than to the skin, or surgery more exten- sive than wide local excision, a 100-per-		central visual acuity (DC 6061-6079).	
	cent evaluation will be assigned from the		7902 Thyroid gland, nontoxic adenoma of With disfigurement of the head or neck	
	date of onset of treatment, and will continue, with a mandatory VA examination		Without disfigurement of the head or neck	
	six months following the completion of		NOTE: If there are symptoms due to pressure on adjacent organs such as the trachea, larynx, or	
	such antineoplastic treatment, and any change in evaluation based upon that or		esophagus, evaluate under the diagnostic code	
	any subsequent examination will be sub-		for disability of that organ, if doing so would re- sult in a higher evaluation than using this diag-	
	ject to the provisions of §3.105(e). If there has been no local recurrence or metas-		nostic code.	
	tasis, evaluation will then be made on re-		7903 Hypothyroidism Cold intolerance, muscular weakness, cardio-	
	siduals. If treatment is confined to the skin, the provisions for a 100-percent evaluation do not apply.		vascular involvement, mental disturbance (dementia, slowing of thought, depression), bradycardia (less than 60 beats per minute),	
Aut	Chority: 38 U.S.C. 1155)		and sleepiness	
67 I	FR 49596, July 31, 2002; 67 FR 58448,	58449,	weight gain Fatigability, constipation, and mental sluggishness	
	5. 16, 2002; 73 FR 54710, Oct. 23, 2008; Jan. 20, 2012]	77 FR	Fatigability, or; continuous medication required for control	
	THE ENDOCRINE SYSTEM		7904 Hyperparathyroidism Generalized decalcification of bones, kidney stones, gastrointestinal symptoms (nausea,	
	19 Schedule of ratings—endo	crine	vomiting, anorexia, constipation, weight loss, or peptic ulcer), and weakness	
	system.	T	Gastrointestinal symptoms and weakness Continuous medication required for control	
		Rat- ing	NOTE: Following surgery or treatment, evaluate as digestive, skeletal, renal, or cardiovascular residuals or as endecrine duefunction.	
7900	Hyperthyroidism		siduals or as endocrine dysfunction. 7905 Hypoparathyroidism	